

Antelope Valley-East Kern Water Agency

The mission of AVEK is to deliver reliable, sustainable, and high-quality supplemental water to the region in a cost-effective and efficient manner

Special Finance Committee Agenda

Meeting Information	Committee Members:
Date: Thursday, October 24, 2024	Frank S. Donato, Division 3 - Chair
Time: 9:00 a.m.	George Lane, Division 4
Location(s): 6450 West Avenue N, Palmdale, CA 93551; 89 Alafaya Woods	Keith Dyas, Division 2
Blvd, Oviedo, FL 32765; 2856 Owens Way, Rosamond, CA 93560; and Zoom	
Telephone: (669) 900-6833; ID No. 8 1 4 2 1 7 2 6 0 5 5; Passcode: 0	
Zoom Link: https://us02web.zoom.us/j/81421726055?pwd=SFNmQUIvT0tRaHlDaVYrN3l5bzJVQT09	
Agenda:	

- 1. Call to order and period open to the public
- 2. Review and recommendation to accept and file the Check Register Lists for the period of October 3, 2024, through October 16, 2024
- 3. Review and recommendation to accept and file the Treasurer's Report for the period ending September 30, 2024
- 4. Review and recommendation to approve the following Joint Tax Sharing Resolution's resulting from Annexation:
 - a. Resolution No. R-24-23; Annexation No. 14-456 LA County Sanitation Districts (151 Proposed SF Homes & 4 Proposed Detention Basins)
 - b. Resolution No. R-24-24; Annexation No. 14-457 LA County Sanitation Districts (109 Proposed SF Homes)
 - c. Resolution No. R-24-25; Annexation No. 14-458 LA County Sanitation Districts (1 Proposed RV Storage Facility and 1 Proposed Self-Storage)
- 5. Review and recommendation of Purchase Orders/Proposals over \$25,000.00 per Purchasing Policy:
 - a. Purchase Order with NOV (National Oilwell Varco) for replacement of six Flocculator/Mixer assemblies at the Quartz Hill Treatment Plant in the not-to-exceed amount of \$171,248.48; Operations Manager Bozigian
 - b. Purchase Order with Miracle Machinery in the not-to-exceed amount of \$66,160.00 for the removal of spent coagulant (approximately 2,400 cubic yards) at the Quartz Hill Water Treatment Plant; Operations Manager Bozigian
- 6. Review and recommendation on declaring damaged aluminum pipe and steel well shaft material as surplus and authorize staff to recycle/dispose of said material.
- 7. General Manager's Report
- 8. Adjournment

Notices: